

chain nodes :

18 19

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27
28

chain bonds :

14-19 17-18

ring bonds :

1-2 1-6 2-3 3-4 4-5 4-7 5-6 5-9 7-8 8-9 8-10 9-13 10-11 11-12 11-14 11-15 11-16 12-13
12-17 14-15 15-16 16-17 20-21 20-25 21-22 22-23 23-24 23-26 24-25 24-28 26-27
27-28

exact/norm bonds :

4-7 7-8 8-9 8-10 9-13 10-11 11-12 11-14 12-13 12-17 14-15 14-19 15-16 16-17
17-18 23-26 24-28 26-27 27-28

exact bonds :

5-9

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6 20-21 20-25 21-22 22-23 23-24 24-25

isolated ring systems :

containing 1 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
12:Atom 13:Atom 14:Atom 15:Atom 16:Atom 17:Atom 18:CLASS 19:CLASS 20:Atom
21:Atom 22:Atom 23:Atom 24:Atom 25:Atom 26:Atom 27:Atom 28:Atom 29:CLASS

10/031463

=> s 11

SAMPLE SEARCH INITIATED 15:57:43 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 16 TO ITERATE

100.0% PROCESSED 16 ITERATIONS
SEARCH TIME: 00.00.01

7 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 80 TO 560
PROJECTED ANSWERS: 7 TO 298


L3 7 SEA SSS SAM L1

=> d 13 1-7

10/031463

L3 ANSWER 1 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN
RN 574730-08-8 REGISTRY
CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-1,4-dione, 6-(1,3-benzodioxol-5-yl)-
2,3,6,7,12,12a-hexahydro-2-[(3R)-1-(2-pyridinylmethyl)-3-pyrrolidinyl]-,
(6R,12aR)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C31 H29 N5 O4
SR CA
LC STN Files: CA, CAPLUS

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 2 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN
RN 477978-88-4 REGISTRY
CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-1,4-dione, 6-(1,3-benzodioxol-5-yl)-
2,3,6,7,12,12a-hexahydro-2-methyl-12-phenyl-, (6R,12R,12aR)-rel- (9CI)
(CA INDEX NAME)
FS STEREOSEARCH
MF C28 H23 N3 O4
SR CA
LC STN Files: CA, CAPLUS

Relative stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

10/031463

L3 ANSWER 3 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN
RN 395665-80-2 REGISTRY
CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-1,4-dione, 6-(1,3-benzodioxol-5-yl)-
3-(3,3-dimethyl-2-oxobutyl)-2,3,6,7,12,12a-hexahydro-, (3S,6R,12aR)- (9CI)
(CA INDEX NAME)
FS STEREOSEARCH
MF C27 H27 N3 O5
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

10/031463

L3 ANSWER 4 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN
RN 395665-78-8 REGISTRY
CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-3-acetic acid, 6-(1,3-benzodioxol-5-yl)-1,2,3,4,6,7,12,12a-octahydro-1,4-dioxo-, cyclopentyl ester,
(3S,6R,12aR)- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C28 H27 N3 O6
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 5 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN
RN 385770-93-4 REGISTRY
CN Methanesulfonamide, N-[3-[[(6R,12aR)-6- (1,3-benzodioxol-5-yl)-
3,4,6,7,12,12a-hexahydro-1,4-dioxopyrazino[1',2':1,6]pyrido[3,4-b]indol-
2(1H)-yl]methyl]phenyl]-1,1,1-trifluoro- (9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C29 H23 F3 N4 O6 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 6 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN
RN 385770-82-1 REGISTRY
CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-2(1H)-acetic acid,
6-(1,3-benzodioxol-5-yl)-3,4,6,7,12,12a-hexahydro-1,4-dioxo-, (6R,12aR)-
(9CI) (CA INDEX NAME)
FS STEREOSEARCH
MF C23 H19 N3 O6
SR CA
LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE "PROP" FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 7 OF 7 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 385770-34-3 REGISTRY
 CN Pyrazino[1',2':1,6]pyrido[3,4-b]indole-2(1H)-butanamide,
 6-(1,3-benzodioxol-5-yl)-N-cyclohexyl-3,4,6,7,12,12a-hexahydro-1,4-dioxo-,
 (6R,12aR)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C31 H34 N4 O5
 SR CA
 LC STN Files: CA, CAPLUS, USPATFULL

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

10/031463

=> s 11 sss full
FULL SEARCH INITIATED 15:58:33 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 379 TO ITERATE

100.0% PROCESSED 379 ITERATIONS 207 ANSWERS
SEARCH TIME: 00.00.01

L4 207 SEA SSS FUL L1

=> file caplus
COST IN U.S. DOLLARS
SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 160.71 160.92

FILE 'CAPLUS' ENTERED AT 15:58:43 ON 31 DEC 2003
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 31 Dec 2003 VOL 140 ISS 1
FILE LAST UPDATED: 30 Dec 2003 (20031230/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 14

L5 79 L4 ✓

=> d 15 1-79 bib abs hit str
'STR' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS ----- GI and AB
ALL ----- BIB, AB, IND, RE
APPS ----- AI, PRAI
BIB ----- AN, plus Bibliographic Data and PI table (default)
CAN ----- List of CA abstract numbers without answer numbers
CBIB ----- AN, plus Compressed Bibliographic Data
DALL ----- ALL, delimited (end of each field identified)
DMAX ----- MAX, delimited for post-processing
FAM ----- AN, PI and PRAI in table, plus Patent Family data
FBIB ----- AN, BIB, plus Patent FAM
IND ----- Indexing data
IPC ----- International Patent Classifications
MAX ----- ALL, plus Patent FAM, RE

PATS ----- PI, SO
SAM ----- CC, SX, TI, ST, IT
SCAN ----- CC, SX, TI, ST, IT (random display, no answer numbers;
SCAN must be entered on the same line as the DISPLAY,
e.g., D SCAN or DISPLAY SCAN)
STD ----- BIB, IPC, and NCL

IABS ----- ABS, indented with text labels
IALL ----- ALL, indented with text labels
IBIB ----- BIB, indented with text labels
IMAX ----- MAX, indented with text labels
ISTD ----- STD, indented with text labels

OBIB ----- AN, plus Bibliographic Data (original)
OIBIB ----- OBIB, indented with text labels

SBIB ----- BIB, no citations
SIBIB ----- IBIB, no citations

HIT ----- Fields containing hit terms
HITIND ----- IC, ICA, ICI, NCL, CC and index field (ST and IT)
containing hit terms
HITRN ----- HIT RN and its text modification
HITSTR ----- HIT RN, its text modification, its CA index name, and
its structure diagram
HITSEQ ----- HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
structure diagram, plus NTE and SEQ fields
KWIC ----- Hit term plus 20 words on either side
OCC ----- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field codes. For a list of the display field codes, enter HELP DFIELDS at an arrow prompt (=>). Examples of formats include: TI; TI,AU; BIB,ST; TI,IND; TI,SO. You may specify the format fields in any order and the information will be displayed in the same order as the format specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR, FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC to view a specified Accession Number.

ENTER DISPLAY FORMAT (BIB):end

=> d 15 1-79 bib abs hitstr